

Test Report

號碼(No.): CE/2018/A0801 日期(Date): 2018/10/11 頁數(Page): 1 of 14

光頡科技股份有限公司 VIKING TECH CORPORATION

新竹縣湖口鄉新竹工業區光復北路70號

NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By) 光頡科技股份有限公司 (VIKING TECH CORPORATION)

樣品名稱(Sample Description) METAL FOIL CHIP FIXED RESISTOR

MF SERIES 樣品型號(Style/Item No.) 收件日期(Sample Receiving Date) 2018/10/03

測試期間(Testing Period) 2018/10/03 TO 2018/10/11

測試需求(Test Requested):

(1) 依據客戶指定,參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試編、鉛、汞、六價鉻、多溴聯苯、多溴聯苯 醚, DBP, BBP, DEHP, DIBP. (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 其他測試項目請見下一頁 . (Please refer to next pages for the other item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages).

結論(Conclusion)

(1) 根據客戶所提供的樣品,其鐍、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的 測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求. (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)

Signed for and on SGS TAIWAN LTD. Chemical Laboratory - Taipei

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



Test Report

號碼(No.): CE/2018/A0801 日期(Date): 2018/10/11 頁數(Page): 2 of 14

光頡科技股份有限公司 VIKING TECH CORPORATION

新竹縣湖口鄉新竹工業區光復北路70號

NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN

測試結果(Test Results)

測試部位(PART NAME)No.1 : METAL FOIL CHIP FIXED RESISTOR

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	限值 (Limit)
鎬 / Cadmium (Cd)	mg/kg	参考IEC 62321-5 (2013),以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321-5 (2013) and performed by ICP-AES.	2	n. d.	100
鉛 / Lead (Pb)	mg/kg	參考IEC 62321-5 (2013),以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321-5 (2013) and performed by ICP-AES.	2	7. 08	1000
汞 / Mercury (Hg)	mg/kg	參考IEC 62321-4 (2013),以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321-4 (2013) and performed by ICP-AES.	2	n. d.	1000
六價鉻 / Hexavalent Chromium Cr(VI) (◆)	mg/kg	參考IEC 62321-7-2 (2017),以UV-VIS檢測;參考IEC 62321-5 (2013),以ICP-AES檢測. / With reference to IEC 62321-7-2 (2017) and performed by UV-VIS.; With reference to IEC 62321-5 (2013) and performed by ICP-AES.	8	n. d.	1000



Test Report

號碼(No.): CE/2018/A0801 日期(Date): 2018/10/11 頁數(Page): 3 of 14

光頡科技股份有限公司 VIKING TECH CORPORATION

新竹縣湖口鄉新竹工業區光復北路70號

NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1	限值 (Limit)
多溴聯苯總和 / Sum of PBBs	mg/kg		-	n. d.	1000
一溴聯苯 / Monobromobiphenyl	mg/kg		5	n.d.	-
二溴聯苯 / Dibromobiphenyl	mg/kg		5	n. d.	-
三溴聯苯 / Tribromobiphenyl	mg/kg		5	n. d.	-
四溴聯苯 / Tetrabromobiphenyl	mg/kg		5	n. d.	-
五溴聯苯 / Pentabromobiphenyl	mg/kg		5	n. d.	-
六溴聯苯 / Hexabromobiphenyl	mg/kg		5	n. d.	-
七溴聯苯 / Heptabromobiphenyl	mg/kg		5	n. d.	-
へ溴聯苯 / Octabromobiphenyl	mg/kg	参考IEC 62321-6 (2015),以氣相層析儀 /質譜儀檢測. / With reference to IEC 62321-6 (2015) and performed by GC/MS.	5	n. d.	-
九溴聯苯 / Nonabromobiphenyl	mg/kg		5	n. d.	-
十溴聯苯 / Decabromobiphenyl	mg/kg		5	n. d.	-
多溴聯苯醚總和 / Sum of PBDEs	mg/kg		-	n. d.	1000
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg		5	n. d.	-
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg		5	n. d.	-
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg		5	n. d.	-
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg		5	n. d.	-
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg		5	n. d.	-
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg		5	n. d.	-
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg		5	n.d.	-
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n. d.	-
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg		5	n. d.	-
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n. d.	-



Test Report

號碼(No.): CE/2018/A0801 日期(Date): 2018/10/11 頁數(Page): 4 of 14

光頡科技股份有限公司 VIKING TECH CORPORATION

新竹縣湖口鄉新竹工業區光復北路70號

NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	限值 (Limit)
鄰苯二甲酸丁苯甲酯 / BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	mg/kg	參考IEC 62321-8 (2017),以氣相層析儀/質譜儀檢測./With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n. d.	1000
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	mg/kg		50	n. d.	1000
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg		50	n. d.	1000
鄰苯二甲酸二異丁酯 / DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	mg/kg		50	n. d.	1000
鄰苯二甲酸二異癸酯 / DIDP (Di- isodecyl phthalate) (CAS No.: 26761- 40-0; 68515-49-1)	mg/kg		50	n. d.	-
鄰苯二甲酸二異壬酯 / DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0)	mg/kg		50	n. d.	-
鄰苯二甲酸二正辛酯 / DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	mg/kg		50	n. d.	-
六溴環十二烷及所有主要被辨別出的異構物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α – HBCDD, β – HBCDD, γ – HBCDD) (CAS No.: 25637–99–4 and 3194–55–6 (134237–51–7, 134237–50–6, 134237–52–8))	mg/kg	参考IEC 62321 (2008),以氣相層析儀/ 質譜儀檢測. / With reference to IEC 62321 (2008). Analysis was performed by GC/MS.	5	n. d.	-



Test Report

號碼(No.): CE/2018/A0801 日期(Date): 2018/10/11 頁數(Page): 5 of 14

光頡科技股份有限公司

VIKING TECH CORPORATION

新竹縣湖口鄉新竹工業區光復北路70號

NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	限值 (Limit)
鹵素 / Halogen					
鹵素(氟)/ Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg	参考BS EN 14582 (2016),以離子層析儀分析. / With reference to BS EN 14582 (2016). Analysis was performed by IC.	50	n. d.	-
鹵素 (氣) / Halogen-Chlorine (C1) (CAS No.: 22537-15-1)	mg/kg		50	n. d.	-
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg		50	n. d.	-
鹵素(碘)/ Halogen-Iodine(I)(CAS No.: 14362-44-8)	mg/kg		50	n. d.	-
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	參考US EPA 3550C (2007),以液相層析 儀/質譜儀檢測. / With reference to US EPA 3550C (2007). Analysis was performed by LC/MS.	10	n. d.	-
全氟辛酸 / PFOA (CAS No.: 335-67-1)	mg/kg		10	n. d.	-
銻 / Antimony (Sb)	mg/kg	参考US EPA 3052 (1996),以感應耦合電 漿原子發射光譜儀檢測. / With reference to US EPA 3052 (1996). Analysis was performed by ICP-AES.	2	n. d.	_

備註(Note):

- 1. mg/kg = ppm; 0. 1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. **(♦)** :

若鉻含量小於六價鉻之方法偵測極限值,則六價鉻為n.d.,不須再測試六價鉻。

The result of Cr(VI) is "n.d." as the result of Chromium (Cr) is less than the MDL of Cr(VI), and confirmation test of Cr(VI) is not required.

若鉻含量未小於六價鉻之方法偵測極限值,需進行六價鉻測試。

If the Chromium (Cr) content is not less than the MDL of Cr(VI), confirmation test of Cr(VI) is required.



Test Report

號碼(No.): CE/2018/A0801 日期(Date): 2018/10/11 頁數(Page): 6 of 14

光頡科技股份有限公司 VIKING TECH CORPORATION

新竹縣湖口鄉新竹工業區光復北路70號

NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN

PFOS参考資訊(Reference Information): 持久性有機污染物 POPs - (EU) 757/2010

PFOS濃度在物質或製備中不得超過0.001%(10ppm),在半成品、成品或零部件中不得超過0.1%(1000ppm),在紡織品或塗層 材料中不得超過lug/m2。

(Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above $1\mu g/m^2$.)



Test Report

號碼(No.): CE/2018/A0801 日期(Date): 2018/10/11 頁數(Page): 7 of 14

光頡科技股份有限公司 VIKING TECH CORPORATION

新竹縣湖口鄉新竹工業區光復北路70號


NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ test method excluded)

- 測試人員:陳恩臻 / Technician: Rita Chen
- 測試負責人:張啟興 / Supervisor: Troy Chang





Test Report

號碼(No.): CE/2018/A0801 日期(Date): 2018/10/11 頁數(Page): 8 of 14

光頡科技股份有限公司 VIKING TECH CORPORATION


新竹縣湖口鄉新竹工業區光復北路70號

NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBB/PBDE

測試人員:涂雅苓 / Technician: Yaling Tu 測試負責人:張啟興 / Supervisor: Troy Chang

初次測試程序 / First testing process _ 確認程序 / Confirmation process - - - - →





Test Report

號碼(No.): CE/2018/A0801 日期(Date): 2018/10/11 頁數(Page): 9 of 14

光頡科技股份有限公司 VIKING TECH CORPORATION 新竹縣湖口鄉新竹工業區光復北路70號


NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN

可塑劑分析流程圖 / Analytical flow chart - Phthalate

測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang

【測試方法/Test method: IEC 62321-8】





Test Report

號碼(No.): CE/2018/A0801 日期(Date): 2018/10/11 頁數(Page): 10 of 14

光頡科技股份有限公司 VIKING TECH CORPORATION


新竹縣湖口鄉新竹工業區光復北路70號

NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD

測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang





Test Report

號碼(No.): CE/2018/A0801 日期(Date): 2018/10/11 頁數(Page): 11 of 14

光頡科技股份有限公司 VIKING TECH CORPORATION


新竹縣湖口鄉新竹工業區光復北路70號

NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN

鹵素分析流程圖 / Analytical flow chart - Halogen

測試人員: 陳恩臻 / Technician: Rita Chen

測試負責人:張啟興 / Supervisor: Troy Chang





Test Report

號碼(No.): CE/2018/A0801 日期(Date): 2018/10/11 頁數(Page): 12 of 14

光頡科技股份有限公司 VIKING TECH CORPORATION


新竹縣湖口鄉新竹工業區光復北路70號

NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN

全氟辛酸/全氟辛烷磺酸分析流程圖 / Analytical flow chart - PFOA/PFOS

■ 測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang





Test Report

號碼(No.): CE/2018/A0801 日期(Date): 2018/10/11 頁數(Page): 13 of 14

光頡科技股份有限公司

VIKING TECH CORPORATION

新竹縣湖口鄉新竹工業區光復北路70號


NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN

根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.

■ 測試人員: 陳恩臻 / Technician: Rita Chen

測試負責人:張啟興 / Supervisor: Troy Chang

元素以 ICP-AES 分析的消化流程圖 (Flow Chart of digestion for the elements analysis performed by ICP-AES)



鋼,銅,鋁,焊錫 / Steel, copper, aluminum, solder	王水,硝酸,鹽酸,氫氟酸,雙氧水 / Aqua regia, HNO ₃ , HCI, HF, H ₂ O ₂
玻璃 / Glass	硝酸,氫氟酸 / HNO ₃ /HF
金,鉑,鈀,陶瓷 / Gold, platinum, palladium, ceramic	王水 / Aqua regia
銀 / Silver	硝酸 / HNO ₃
塑膠 / Plastic	硫酸,雙氧水,硝酸,鹽酸 / H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCI
其他 / Others	加入適當的試劑至完全溶解 / Added appropriate reagent to total digestion



Test Report


號碼(No.): CE/2018/A0801 日期(Date): 2018/10/11 頁數(Page): 14 of 14

光頡科技股份有限公司 VIKING TECH CORPORATION

新竹縣湖口鄉新竹工業區光復北路70號

NO. 70, KUANFU N. ROAD, HSIN CHU INDUSTRIAL PARK, HUKOU, HSIN CHU HSIEN 303, TAIWAN

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)



** 報告結尾 (End of Report) **